Journal of Applied Polymer Science

Author Index—Volume 63

Abdelaal, M. Y.
Synthesis and Characterization of Some Oligopolyalkylene–Polyamines, 1009
Abd El Hakim, A. A. See Moustafa, A. B., 239
Abd El-Kader, F. H. See Ibrahim, A. S., 343
Abo-Ellil, M. S. See Ibrahim, A. S., 343
Abusafieh, A.
—; Gobran, R.; Kalidindi, S. R.: Synthesis and Characterization of a Poly(Methylmethacrylate-Acrylic Acid) Copolymer for Bioimplant Applications, 75
Agarwal, N.
—; Hoagland, D. A.; Farris, R. J.: Effect of Moisture Absorption on the Thermal Properties of *Bombyx mori* Silk Fibroin Films, 401
Ahmad, M. F. See Swellam, M., 383
Ahmad, Z.
—; Sarwar, M. I.; Mark, J. E.: Dynamic–Mechanical Thermal Analysis of Aramid–Silica Hybrid Composites Prepared in a Sol–Gel Process, 1345
Ahn, T.-K. See Cho, K., 1265
Akimoto, A. See Doi, T., 925
Akiyama, S. See Kano, Y., 307
Alberola, N. D.
—; Fernagut, F.; Mele, P.: Binary and Ternary Particulate Composites. I. Viscoelastic Behavior, 1029
—; Germain, Y.; Mele, P.: Binary and Ternary Particulate Composites. II. Tensile Behavior Over a Wide Range of Strain Rates, 1041
Alexandrova, I.
—; Iordanov, G.: Transport of Nickel and Copper Against a Concentration Gradient Through a Carboxylic Membrane, Based on Poly(vinyl chloride)/Poly(methyl methacrylate-*co*-divinylbenzene), 9
Ali, K. M. I. See Bashar, A. S., 1703
Alonso, M. See Dobreva, A., 349
Alonso, M. J. See Calvo, P., 125
Amash, A.
—; Zugenmaier, P.: Thermal and Dynamic Mechanical Investigations on Fiber-Reinforced Polypropylene Composites, 1143
Aminabhavi, T. M.
—; Phayde, H. T. S.; Ortego, J. D.; Stahl, W. M.: Sorption and Migration of Aliphatic Organic Esters into VITON Fluoroelastomer Membranes, 1223
Arriola, D. J.
—; Cutíe, S. S.; Henton, D. E.; Powell, C.; Smith, P. B.: Crosslinker Reactivity and the Structure of Superabsorbent Gels, 439
Ash, R.
—; Barrie, J. A.: Transport in a Hollow Cylindrical Membrane, 417
Assano, E. M. See Sabadini, E., 301
Attia, G. See Ibrahim, A. S., 343
Atvars, T. D. Z. See Sabadini, E., 301
Auping, J. V. See Meador, M. A. B., 821

Baer, E. See Bensason, S., 703, 715
Bae, Y. C.
Viscosity Reduction of Polymeric Liquid by Dissolved Carbon Dioxide, 459
Bafna, S. S.
Is the Cross-Over Modulus a Reliable Measure of Polymeric Polydispersity? 111
Bandyopadhyay, S.
—; De, P. P.; Tripathy, D. K.; De, S. K.: Effect of (3-Aminopropyl) Triethoxysilane on Chemorheological Behavior of Carboxylated Nitrile Rubber in Presence of Surface Oxidized ISAF Carbon Black, 1833
Banerjee, A. N. See Das, G., 991; Mukhopadhyay, S. Kr., 985
Barral, L.
—; Cano, J.; López, J.; Nogueira, P.; Ramírez, C.: Effect of Thermal Degradation on the Mechanical Properties of a Diglycidyl Ether of Bisophenol A/1,3-Bisaminomethyl-cyclohexane (DGEBA/1,3-bac) Epoxy Resin System, 1841
Barrie, J. A. See Ash, R., 417
Bashar, A. S.
—; Khan, M. A.; Ali, K. M. I.: Modification of Cotton, Rayon, and Silk with Urethane Acrylate under Ultraviolet Radiation, 1703
Bastida, S.
—; Eguizábal, J. I.; Nazábal, J.: Structure and Physical Properties of Reprocessed Poly(ether imide), 1601
Basu, D. See Mukhopadhyay, S. Kr., 985
Bayoumi, O. A. See Sokkar, T. Z. N., 1165
Bayülken, S. See Dinçer, B., 1643
Beckert, A. See Scherzer, T., 1303
Belfer, S. See Binman, S., 625
Bellincampi, L. D.
—; Dunn, M. G.: Effect of Crosslinking Method on Collagen Fiber–Fibroblast Interactions, 1493
—; See Dunn, M. G., 1423
Bello, A. See Suárez, N., 1457
Bensason, S.
—; Hiltner, A.; Baer, E.: Damage Zone in PVC and PVC/MBS

Blends. II. Analysis of the Stress-whitened Zone, 715
—; Hiltner, A.; Baer, E.: Damage Zone in PVC and PVC/MBS Blends. I. The Effect of Rubber Content and Temperature, 703
Bergström, C. H.
—; Seppälä, J. V.: Effects of Polymerization Conditions When Making Norbornene-Ethylene Copolymers Using Metallocene Catalyst Ethylene Bis(indenyl) Zirconium Dichloride and MAO to Obtain High Glass Transition Temperatures, 1063
—; Väänänen, L. J.; Seppälä, J. V.: Influence of Polymerization Conditions on Microstructure of Norbornene-Ethylene Copolymers Made Using Metallocene Catalysts and MAO, 1071
Bhat, N. V. See Joshi, A. H., 737
Binman, S.
—; Belfer, S.; Shani, A.: Metal Sorption Properties of Sulfur-Chlorinated Jojoba Wax Bound to Polystyrene Beads, 625
Bizot, H. See Lourdin, D., 1047
Boccara, A. C.
—; Fournier, D.; Kumar, A.; Pandey, G. C.: Nondestructive Evaluation of Carbon Fiber by Mirage–FTIR Spectroscopy, 1785
Boey, F. Y. C. See Jacob, J., 787
Böhme, F. See Mierau, U., 283
Bongiovanni, R.
—; Malucelli, G.; Pollicino, A.; Priola, A.: Properties of Films Obtained by UV-curing 4,4′-Hexafluoroisopropylidenediphenoldihydroxyethylether Diacrylate and its Mixtures with the Hydrogenated Homologue, 979
Bovenkamp, J. See Xiao, S., 1189
Brauer, E. See Mierau, U., 283
Brink, A. E. See Facinelli, J. V., 1571
Buettner, H. M. See Hawkins, S. S., 1413

Calvo, P.
—; Remuñán-López, C.; Vila-Jato, J. L.; Alonso, M. J.: Novel Hydrophilic Chitosan–Polyethylene Oxide Nanoparticles as Protein Carriers, 125
Camaño, E.
—; Martire, N.; Goyanes, S. N.; Marzocca, A. J.; Rubiolo, G. H.: Evaluation of the Thermal Diffusivity of Rubber Compounds Through the Glass Transition Range, 157
Cano, J. See Barral, L., 1841
Canpolat, M. See Pekcan, Ö., 651
Cao, J.
Origin of the Bimodal "Melting" Endotherm of α-Form Crystallites in Wool Keratin, 411
Carr, S. H. See Nesarikar, A. R., 1179
Cassagnau, P. See De Loor, A., 1385
Castro, A. See Núñez, L., 635
Cebe, P. See Rich, D. C., 1113
Chakravarthy, S. S. S.
—; Saraf, D. M.; Gupta, S. K.: Use of Genetic Algorithms in the Optimization of Free Radical Polymerizations Exhibiting the Trommsdorff Effect, 529
Chang, G.-W.
—; Jamieson, A. M.; Yu, Z.; McGervey, J. D.: Physical Aging in the Mechanical Properties of Miscible Polymer Blends, 483
Chang, P. See Liaw, D.-J., 195, 1701
Chatzi, E. G.
—; Kammona, O.; Kiparissides, C.: Use of a Mid-range Infrared Optical-fiber Probe for the On-line Monitoring of 2-Ethyl Hexyl Acrylate/Styrene Emulsion Copolymerization, 799
Che, J. See Du, S., 1259
Chen, G.-N.
—; Chen, K.-N.: Self-Curing Behaviors of Single Pack Aqueous-Based Polyurethane System, 1609
Chen, J.-R.
—; Wakida, T.: Studies on the Surface Free Energy and Surface Structure of PTFE Film Treated with Low Temperature Plasma, 1733
Chen, K.-N. See Chen, G.-N., 1609
Chen, L. See Zhuang, Y., 267
Chen, S.-I.
—; Sheu, Y. L.; Sheu, J.-L.; Lee, C.-T.; Lin, J. S.: Morphology of Perfluoroalkylacrylate/Stearyl Methacrylate Polymers and Their Effect on Water/Oil Repellency, 903
Chen, T. See Wang, Z., 1127
Chen, Y. See Li, Y., 1173
Chern, Y.-T.
—; Wu, B.-S.: Preparation of Composite Membranes with Polyimides and Poly(amide-imide)s Skin via Interfacial Condensation for Air Separation, 693
Chia, L. H. L. See Jacob, J., 787
Chiu, S.-H.
—; Yiu, H.-C.; Pong, S.-H.: Development of an In-Line Viscometer in an Extrusion Molding Process, 919
Chiu, Y.-S. See Liu, Y.-L., 875, 895
Cho, H. T. See Kim, C. Y., 725
Cho, K.
—; Ahn, T.-K.; Lee, B. H.; Choe, S.: Miscibility and Processibility in Linear Low Density Polyethylene and Ethylene–Propylene-Butene-1 Terpolymer Binary Blends, 1265
Choe, S. See Cho, K., 1265
Choi, H.-M. See Kim, C. Y., 725
Christiansen, D. L. See Pins, G. D., 1429
Colonna, P. See Lourdin, D., 1047
Cong, G. See Wang, C., 559; Wang, S., 1107
Cortés, P.
—; Montserrat, S.; Hutchinson, J. M.: Addition of a Reactive Diluent to a Catalysed Epoxy-Anhydride System. II. Effect on Enthalpy Relaxation, 17
Cottu, J. P. See Olivier, P., 745
Cox, J. D. See Hooper, K. A., 1499
Cutíe, S. S. See Arriola, D. J., 439

Das, G.
—; Banerjee, A. N.: Fourier Transform Infrared Spectroscopic Studies of the Poly(styrene-*co*-acrylonitrile) and Poly(vinyl chloride-*co*-vinyl acetate) Blends, 991
Davis, R. M. See Facinelli, J. V., 1571

De, P. P. See Bandyopadhyay, S., 1833; Roychoudhury, A., 1761
De, S. K. See Bandyopadhyay, S., 1833
de Benito, J. L. See Gonzalez, L., 1353
De Kee, D. See Xiao, S., 1189
De Loor, A.
—; Cassagnau, P.; Michel, A.; Vergnes, B.: Mechanical Properties of a Polymer Blend Obtained through *In Situ* Crosslinking of the Dispersed Phase, 1385
De Saja, J. A. See Dobreva, A., 349
Debelak, K. See Ni, H., 761
Deglise, X. See Noferi, M., 475
Denizli, A.
—; Köktürk, G.; Salih, B.; Kozluca, A.; Pişkin, E.: Congo Red–and Zn(II)-Derivatized Monosize Poly(MMA-HEMA) Microspheres as Specific Sorbent in Metal Chelate Affinity of Albumin, 27
Devi, M. S. See Sumathy, C. T., 1251
Dharakumar, M.
—; Raghavan, A.; Saccubai, S.: Studies on Polymer Impregnated Plaster of Paris, 1243
—; See Sumathy, C. T., 1251
Dibenedetto, A. T. See Vaccaro, E., 275
Difazio, L. See Haimovich, B., 1393
Dimonie, V. L. See Rajatapiti, P., 205
Dinçer, B.
—; Bayülken, S.; Saraç, A. S.: Radical Polymerization of Acrylamide Initiated by Ceric Ammonium Nitrate–Methionine Redox Initiator System, 1643
Ding, M. See Li, Y., 1, 1821
Dobreva, A.
—; Alonso, M.; Gonzalez, M.; De Saja, J. A.: Activity of Substrates in the Catalyzed Nucleation of Poly(ethylene terephthalate) Melts, 349
Doi, T.
—; Yukioka, S.; Inoue, H.; Akimoto, A.: A New Class of Transparent Polymeric Materials—III. Miscible Blends of Poly(*N*-Methylmaleimide-*alt*-Isobutene) with Poly(Acrylonitrile-*co*-Styrene) and the Properties of the Blends, 925
Drillieres, S. See Widmaier, J.-M., 951
Dror, Y. See Haimovich, B., 1393
Du, F.
—; Ye, W.; Gu, Z.; Yang, J.: Synthesis and *In Vitro* Degradation of Copolymers of Glycolide and 6 (*R,S*)-Methylmorpholine-2,5-dione, 643
Du, S.
—; Che, J.; Xiao, Y.; Ji, F.; Jin, X.: Effect of Coupling Agents on Mechanical Property of AN/PU Energy Composite, 1259
Dunn, M. G.
—; Bellincampi, L. D.; Tria, A. J., Jr.; Zawadsky, J. P.: Preliminary Development of a Collagen–PLA Composite for ACL Reconstruction, 1423
—; See Bellincampi, L. D., 1493
Dunn, S. M. See Hawkins, S. S., 1413
Dupuy, J. See McKenna, T. F., 315

Economy, J. See Shi, F. F., 1199
Eersels, K. L. L.
—; Groeninckx, G.: Thermal Analysis of Polyamide Blends as Obtained by Reactive Melt-Extrusion: Influence of Blend Composition on Crystallization and Melting Behavior, 573
Egawa, H. See Jyo, A., 1327
Eguizábal, J. I. See Bastida, S., 1601
El-Aasser, M. S. See Rajatapiti, P., 205
El-Nesr, E. M.
Effect of Solvents on Gamma Radiation Induced Graft Copolymerization of Methyl Methacrylate onto Polypropylene, 377
El Sherif, M. See Sokkar, T. Z. N., 1165
Endo, R. See Nisizawa, M., 273
Etters, J. N.
Sorption of Diffusants by Polymeric Cylinders under Isothermal, Finite Bath Conditions: Advances in Mathematical Modeling, 1237

Facinelli, J. V.
—; Brink, A. E.; Liu, S.; Li, H.; Gardner, S. L.; Davis, R. M.; Riffle, J. S.; Marrocco, M.; Harding, S.: Fine Poly(ether ether ketone) Powders, 1571
Farris, R. J. See Agarwal, N., 401
Feng, Y.
—; Honnma, S.; Ito, A.: Improved Measurement Device for Vapor Permeation and Pervaporation, 433
Fernagut, F. See Alberola, N. D., 1029
Ferrara, L. A. See Meador, M. A. B., 821
Fouda, I. M. See Sokkar, T. Z. N., 1165
Fournier, D. See Boccara, A. C., 1785
Fraga, F. See Núñez, L., 635
Fraga, L. See Núñez, L., 635
Freeman, A. See Haimovich, B., 1393
Friedrich, K. See Zhang, M. Q., 589
Fujikura, Y. See Minagawa, M., 1625
Fujiyama, M.
Structure and Properties of Injection Moldings of Polypropylene/Polystyrene Blends, 1015

Gaier, J. R. See Meador, M. A. B., 821
Gan, Z.
—; Zhang, J.; Jiang, B.: Poly(ε-caprolactone)/Poly(ethylene oxide) Diblock Copolymer II. Nonisothermal Crystallization and Melting Behavior, 1793
Gao, J.
—; Zhao, M.; Yang, L.: Kinetics of Epoxy Resin Formation from Bisphenol-S, Tetrabromobisphenol-A, and Epichlorohydrin, 1137
Gardner, S. L. See Facinelli, J. V., 1571
Genoud, F. See Pron, A., 971
Germain, Y. See Alberola, N. D., 1041
Ghogare, A. See Kumar, G. S., 35

Ghosh, S. N.
—; Maiti, S.: An Epoxy-Terminated Structural Adhesive. II. Curing, Adhesive Strength, and Flammability Characteristics, 683
Gjurova, K. M. See Karaivanona, M. S., 581
Gobran, R. See Abusafieh, A., 75
Gonzalez, L.
—; Rodriguez, A.; de Benito, J. L.; Marcos-Fernandez, A.: Application of an Azide Sulfonyl Silane as an Elastomer Crosslinking and Coupling Agent, 1353
Gonzalez, M. See Dobreva, A., 349
Gowri, R. See Ram, M. K., 141
Goyanes, S. N. See Camaño, E., 157
Greco, R. S. See Haimovich, B., 1393
Greenblatt, M. See Ramanujachary, K. V., 1449
Groeninckx, G. See Eersels, K. L. L., 573
Gu, T. See Yin, W., 13
Gu, Z. See Du, F., 643
Gunatillake, P. A.
—; Meijs, G. F.; McCarthy, S. J.; Sherriff, N.: Polyurethane Elastomers with Low Modulus and Hardness Based on Novel Copolyether Macrodiols, 1373
Gupta, B. R. See Kundu, P. P., 187
Gupta, S. See Thames, S. F., 1077
Gupta, S. K. See Chakravarthy, S. S. S., 529

Ha, W. S. See Lee, K. Y., 425
Hagen, R. See Rigdahl, M., 661
Haimovich, B.
—; Difazio, L.; Katz, D.; Zhang, L.; Greco, R. S.; Dror, Y.; Freeman, A.: A New Method for Membrane Construction on ePTFE Vascular Grafts: Effect on Surface Morphology and Platelet Adhesion, 1393
Hamed, G. R. See Shih, H.-H., 323, 333
Harding, S. See Facinelli, J. V., 1571
Hardy-Green, D. See Meador, M. A. B., 821
Härkönen, M. See Hiltunen, K., 1091; Kylmä, J., 1865
Hassander, H. See Karlsson, O., 1543
Hawkins, S. S.
—; Buettner, H. M.; Dunn, S. M.: Computer-Assisted Motion Analysis of Neuronal Cell Growth, 1413
Hee, S. S. Q. See Tsai, S.-W., 1713
Henton, D. E. See Arriola, D. J., 439
Hiljanen-Vainio, M.
—; Kylmä, J.; Hiltunen, K.; Seppälä, J. V.: Impact Modification of Lactic Acid Based Poly(ester-Urethanes) by Blending, 1335
Hiltner, A. See Bensason, S., 703, 715
Hiltunen, K.
—; Seppälä, J. V.; Härkönen, M.: Lactic Acid Based Poly(ester-urethanes): Use of Hydroxyl Terminated Prepolymer in Urethane Synthesis, 1091
—; See Hiljanen-Vainio, M., 1335
Ho, J.-C. See Wei, K.-H., 1527
Hoagland, D. A. See Agarwal, N., 401
Honnma, S. See Feng, Y., 433
Hooper, H. H.
—; Yu, J.; Sassi, A. P.; Soane, D. S.: Viscosity Transitions in Aqueous Suspensions of Hydrogel Microspheres, 1369
Hooper, K. A.
—; Cox, J. D.; Kohn, J.: Comparison of the Effect of Ethylene Oxide and γ-Irradiation on Selected Tyrosine-Derived Polycarbonates and Poly(L-lactic acid), 1499
—; See Pérez-Luna, V. H., 1467
Hsiue, G.-H. See Liu, Y.-L., 875, 895
Hu, G.-H. See Vainio, T., 883
Hu, L.-C. See Oku, A., 595
Hu, Z. See Li, Y., 1173; Zhang, X., 1851
Huang, C.-C. See Liaw, D.-J., 175
Huang, C.-Y.
—; Pai, J.-F.: Studies on Processing Parameters and Thermal Stability of ENCF/ABS Composites for EMI Shielding, 115
Huang, E. K. See Pins, G. D., 1429
Huang, S. J. See Vaccaro, E., 275
Huang, Y. See Wang, C., 559, 1107
Huang, Z.-M. See Shan, G.-R., 1535
Huber, F.
—; Springer, J.; Muhler, M.: Plasma Polymer Membranes from Hexafluoroethane/Hydrogen Mixtures for Separation of Oxygen and Nitrogen, 1517
Huber, L. M. See Swellam, M., 383
Hunkeler, D. See Ni, H., 761
Hutchinson, J. M. See Cortés, P., 17
Hwang, J. W. See Wu, H.-S., 89

Ibrahim, A. S.
—; Attia, G.; Abo-Ellil, M. S.; Abd El-Kader, F. H.: Electrical Studies on PVA–PE Copolymer, 343
Ihm, D. W. See Kang, C.-K., 163
Ikada, Y. See Tsuji, H., 855
Imanishi, Y. See Kidchob, T., 453
Inoue, H. See Doi, T., 925
Iordanov, G. See Alexandrova, I., 9
Ioualalen, K. See Olivier, P., 745
Ishizu, K. See Saito, R., 849
Isobe, T. See Nakajima, Y., 1693
Ito, A. See Feng, Y., 433
Iwabuchi, H. See Minagawa, M., 1625

Jacob, J.
—; Chia, L. H. L.; Boey, F. Y. C.: Microwave Polymerization of PolyMethylacrylate: Conversion Studies at Variable Power, 787
Jamieson, A. M. See Chang, G.-W., 483
Jeng, R.-J. See Liu, Y.-L., 875
Jenke, D. R.
Utilization of Extraction Profiles to Estimate the Accumulation of Extractables from Polymeric Materials, 843
Ji, F. See Du, S., 1259
Jiang, B. See Gan, Z., 1793; Xie, R., 1155
Jikihara, A. See Miyata, T., 1579
Jin, J.-H. See Nho, Y. C., 1101
Jin, X. See Du, S., 1259
Jone, H.-C. See Wu, H.-S., 89

Joshi, A. H.
—; Natarajan, C.; Pawde, S. M.; Bhat, N. V.: Grafting of Cellophane Films Using Magnetron Enhanced Plasma Polymerization, 737
Jyo, A.
—; Satoshi, M.; Ono, H.; Egawa, H.: Preparation of Phosphoric Acid Resins with Large Cation Exchange Capabilities from Macroreticular Poly(glycidyl Methacrylate-co-Divinylbenzene) Beads and Their Behavior in Uptake of Metal Ions, 1327

Kalidindi, S. R. See Abusafieh, A., 75
Kammona, O. See Chatzi, E. G., 799
Kanata, H. See Nawa, K., 549
Kang, C.-K.
—; Lee, B. C.; Ihm, D. W.; Tremblay, D. A.: A Simulation Study on Continuous Direct Esterification Process for Poly(ethylene terephthalate) Synthesis, 163
Kano, Y.
—; Akiyama, S.: Poly(butyl acrylate)/Poly(vinylidene fluoride-*co*-hexafluoro-acetone) Blends as Pressure-Sensitive Adhesives, 307
Karaivanona, M. S.
—; Gjurova, K. M.: Non-Halogen-Containing Flame-Retardant Ethylene–Propylene Copolymer Compositions for Cable Insulation with Nitrogen- and Sulfur-Containing Fire Retardants, 581
Karger-Kocsis, J. See Zhang, M. Q., 589
Karlsson, O.
—; Hassander, H.; Wesslén, B.: Morphology of Poly(isoprene-*co*-styrene-*co*-methacrylic acid) Latex Prepared by Two-stage Seeded Emulsion Polymerization, 1543
—; See Rigdahl, M., 661
Kato, M. See Usuki, A., 137
Katz, D. See Haimovich, B., 1393
Kawamura, H. See Mizutani, Y., 133
Keller, D. J. See Meador, M. A. B., 821
Khait, K. See Nesarikar, A. R., 1179
Khan, M. A. See Bashar, A. S., 1703
Kidchob, T.
—; Kimura, S.; Imanishi, Y.: pH-Responsive Release from Polypeptide Microcapsules, 453
Kim, B. I. See Park, Y. H., 619, 779
Kim, C.-H. See Kim, Y.-M., 289
Kim, C. Y.
—; Choi, H.-M.; Cho, H. T.: Effect of Deacetylation on Sorption of Dyes and Chromium on Chitin, 725
Kim, J.-W.
—; Kim, J.-Y.; Suh, K.-D.: Preparation and Physical Properties of Rubber-Modified Epoxy Resin Using Poly(urethane acrylate)/Poly(glycidyl methacrylate-*co*-acrylonitrile) Core–Shell Composite Particles, 1589
Kim, J.-Y. See Kim, J.-W., 1589
Kim, S.-W. See Rhim, J.-W., 521
Kim, Y. J. See Park, Y. H., 619, 779
Kim, Y.-M.
—; Kim, C.-H.; Park, J.-K.; Lee, C.-W.; Min, T.-I.: Morphological Considerations on the Mechanical Properties of Blown High-Density Polyethylene Films, 289
Kimura, S. See Kidchob, T., 453
Kiparissides, C. See Chatzi, E. G., 799
Kishino, K. See Kita, Y., 363, 1055
Kita, Y.
—; Kishino, K.; Nakagawa, K.: High-Quality *N*-Substituted Maleimide for Heat-Resistant Methacrylic Resin, 1055
—; Kishino, K.; Nakagawa, K.: Synthesis of *N*-Cyclohexylmaleimide for Heat-Resistant Transparent Methacrylic Resin, 363
Koc, S. See Tunca, Ü., 1275
Kohda, M. See Shiotani, A., 865
Kohn, J. See Hooper, K. A., 1499; Pérez-Luna, V. H., 1467; Ramanujachary, K. V., 1449; Suárez, N., 1457; Tangpasuthadol, V., 1441
Köktürk, G. See Denizli, A., 27
Konar, B. B.
A Kinetic and Rheometric Investigation of Hexamethylol Melamine Derivative on the Cure of Natural Rubber Compounds, 233
Koyama, M. See Kubota, H., 1635
Kozluca, A. See Denizli, A., 27
Kubota, H.
—; Koyama, M.: Photografting of Methacrylic Acid on Low-Density Polyethylene Film in Presence of Polyfunctional Monomers, 1635
Kumar, A. See Boccara, A. C., 1785
Kumar, G. S.
—; Ghogare, A.; Mukesh, D.: Synthesis of Alkyds Involving Regioselective Lipase-Catalyzed Transesterification in Organic Media, 35
Kumari, S. S. S. See Nagarajan, S., 565
Kundu, P. P.
—; Tripathy, D. K.; Gupta, B. R.: Blends of Poly[ethylene(vinyl acetate)] and Polychloroprene: Studies on Capillary and Dynamic Flows, 187
Kuo, J.-K. See Liu, Y.-L., 875
Kurauchi, T. See Usuki, A., 137
Kylmä, J.
—; Härkönen, M.; Seppälä, J. V.: The Modification of Lactic-Acid-Based Poly (ester-urethane) by Copolymerization, 1865
—; See Hiljanen-Vainio, M., 1335

Lambla, M. See Vainio, T., 883
Lan, C.-W. See Liu, Y.-L., 875
Langer, R. See Uhrich, K. E., 1401
Langguth, H. See Scherzer, T., 1303
Laredo, E. See Suárez, N., 1457
Lason, L. See Rigdahl, M., 661
Laurencin, C. T. See Uhrich, K. E., 1401
Leblanc, J. L.
—; Stragliati, B.: An Extraction Kinetics Method to Study the Morphology of Carbon Black Filled Rubber Compounds, 959

Lee, B. C. See Kang, C.-K., 163
Lee, B. H. See Cho, K., 1265
Lee, C.-T. See Chen, S.-I., 903
Lee, C.-W. See Kim, Y.-M., 289
Lee, K.-H. See Rhim, J.-W., 521; Yeom, C. K., 221
Lee, K. Y.
—; Park, W. H.; Ha, W. S.: Polyelectrolyte Complexes of Sodium Alginate with Chitosan or Its Derivatives for Microcapsules, 425
Lee, R.-H. See Liu, Y.-L., 895
Lee, Y. See Loveday, D., 497, 507
Lenka, S. See Nayak, P., 671
Li, H. See Facinelli, J. V., 1571
Li, J. See Yin, W., 13
Li, L.-J. See Liaw, D.-J., 369
Li, T.
—; Qi, K.: An Unusual Crystallization Peak of Poly(vinyl chloride), 1747
Li, Y.
—; Ding, M.; Xu, J.: Gas Separation Properties of Aromatic Polyetherimides from 1,4-bis(3,4-dicarboxyphenoxy) Benzene Dianhydride and 3,5-diaminobenzic Acid or Its Esters, 1
—; Ding, M.; Xu, J.: Gas Transport Property of Homo- and Copolyimides from Isomeric Thiaphthalic Dianhydride and Oxydianiline, 1821
—; Hu, Z.; Chen, Y.: Shape Memory Gels Made by the Modulated Gel Technology, 1173
—; See Zhang, X., 1851
Liaw, D.-J.
—; Chang, P.: Erratum to "Synthesis and Characterization of Aromatic and Brominated Polycarbonates by Two-Phase Phase-Transfer-Catalyzed Polycondensation of Bisphenols with Trichloromethyl Chloroformate", 1701
—; Chang, P.: Synthesis and Characterization of Aromatic and Brominated Aromatic Polycarbonates by Two-Phase Phase-Transfer-Catalyzed Polycondensation of Bisphenols with Trichloromethyl Chloroformate, 195
—; Huang, C.-C.: Dilute Solution Properties of Anionic Poly(potassium-2-sulfopropylmethacrylate), 175
—; Yang, W.-C. O.; Li, L.-J.; Yang, M.-H.: Synthesis and Properties of Novel Aromatic Polyimides Derived from Bis(*p*-aminophenoxy)methylphenylsilane, 369
Lim, J. M. See Park, Y. H., 773
Lim, W. W.
—; Mizumachi, H.: Fracture Toughness of Adhesive Joints. Part III. Temperature and Rate Dependencies of Mode II Fracture Toughness and Adhesive Shear Strength, 835
Lin, G. See Wang, C., 559
Lin, J.-M. See Wu, H.-D., 911
Lin, J. S. See Chen, S.-I., 903
Lin, R.
—; White, R. L.: Acid-Catalyzed Cracking of Poly(styrene), 1287
Lin, Y.
Study of Ultraviolet Photooxidative Degradation of LDPE Film Containing Cerium Carboxylate Photosensitizer, 811
Liu, S. See Facinelli, J. V., 1571
Liu, Y. See Ma, Z., 1511
Liu, Y.-L.
—; Hsiue, G.-H.; Lan, C.-W.; Kuo, J.-K.; Jeng, R.-J.; Chiu, Y.-S.: Synthesis, Thermal Properties, and Flame Retardancy of Phosphorus Containing Polyimides, 875
—; Hsiue, G.-H.; Lee, R.-H.; Chiu, Y.-S.: Phosphorus-Containing Epoxy for Flame Retardant III: Using Phosphorylated Diamines as Curing Agents, 895
Logothetis, A. L.
Cross-linking of Tetrafluoroethylene–Perfluoro(methylvinyl ether) Elastomers with Electron Beam Irradiation, 147
López, J. See Barral, L., 1841
Lourdin, D.
—; Bizot, H.; Colonna, P.: "Antiplasticization" in Starch–Glycerol Films? 1047
Loveday, D.
—; Wilkes, G. L.; Lee, Y.; Storey, R. F.: Investigation of the Structure and Properties of Polyisobutylene-Based Telechelic Ionomers of Narrow Molecular Weight Distribution. I., 497
—; Wilkes, G. L.; Lee, Y.; Storey, R. F.: Investigation of the Structure and Properties of Polyisobutylene-Based Telechelic Ionomers of Narrow Molecular Weight Distribution. II. Mechanical, 507
Lu, L. See Qiu, W., 1827
Lu, Y. See Ramanujachary, K. V., 1449

Ma, C.-C. M. See Wu, H.-D., 911
Ma, G.-H. See Omi, S., 931
Ma, Z.
—; Zhao, W.; Liu, Y.; Shi, Z.: Synthesis and Properties of Intumescent, Phosphorus Containing, Flame Retardant Polyesters, 1511
Mai, K.
—; Mei, Z.; Xu, J.; Zeng, H.: Effect of Blending on the Multiple Melting Behavior of Polyphenylene Sulfide, 1001
Maiti, S. See Ghosh, S. N., 683
Malhotra, B. D. See Ram, M. K., 141
Malucelli, G. See Bongiovanni, R., 979
Marcos-Fernandez, A. See Gonzalez, L., 1353
Mark, J. E. See Ahmad, Z., 1345
Marrocco, M. See Facinelli, J. V., 1571
Martire, N. See Camaño, E., 157
Marzocca, A. J. See Camaño, E., 157
Masson, E. See Noferi, M., 475
Masuda, T. See Yamaguchi, M., 467
Masuichi, M. See Ogawa, T., 943
Matsuguchi, M.
—; Sadaoka, Y.; Mizuguchi, H.; Umeda, K.; Sakai, Y.: Solvatochromic Study of Water Sorption in Polymer Films, 1681
Matsumura, N. See Seno, M., 1361
McCarthy, S. J. See Gunatillake, P. A., 1373

McGervey, J. D. See Chang, G.-W., 483
McKenna, T. F.
—; Dupuy, J. ; Spitz, R.: Modeling of Transfer Phenomena on Heterogeneous Ziegler Catalysts. III. Modeling of Intraparticle Mass Transfer Resistance, 315
Meador, M. A. B.
—; Hardy-Green, D.; Auping, J. V.; Gaier, J. R.; Ferrara, L. A.; Papadopoulos, D. S.; Smith, J. W.; Keller, D. J.: Optimization of Electrically Conductive Films: Poly(3-methylthiophene) or Polypyrrole in Kapton, 821
Mehnert, R. See Scherzer, T., 1303
Mei, Z. See Mai, K., 1001
Meijs, G. F. See Gunatillake, P. A., 1373
Mele, P. See Alberola, N. D., 1029, 1041
Merlin, A. See Noferi, M., 475
Michel, A. See De Loor, A., 1385
Mierau, U.
—; Voigt, D.; Böhme, F.; Brauer, E.: Investigation of Grafted Impact-Resistant Polypropylene by Temperature Rising Elution Fractionation, 283
Min, T.-I. See Kim, Y.-M., 289
Minagawa, M.
—; Saito, T.; Fujikura, Y.; Watanabe, T.; Iwabuchi, H.; Yoshii, F.; Sasaki, T.: Surface Modification Processing of Synthetic Rubbers by Ultraviolet Irradiation and Sputter Ion Etching Treatment, 1625
Mirabella, F. M. See Nesarikar, A. R., 1179
Mishra, D. K. See Nayak, P., 671
Mitra, B. C. See Mukhopadhyay, S. Kr., 985
Miyata, H. See Yamaguchi, M., 467
Miyata, T.
—; Jikihara, A.; Nakamae, K.: Permeation Decomposition of Urea through Asymmetrically Urease-Immobilized Ethylene Vinyl Alcohol Copolymer Membranes, 1579
Mizuguchi, H. See Matsuguchi, M., 1681
Mizumachi, H. See Lim, W. W., 835
Mizutani, Y.
—; Nagō, S.; Kawamura, H.: Dyeable Polypropylene Fiber, 133
Mohamed, G. A. See Moustafa, A. B., 239
Montserrat, S. See Cortés, P., 17
Moresoli, C. See Xiao, S., 1189
Moustafa, A. B.
—; Abd El Hakim, A. A.; Mohamed, G. A.: Some Parameters Affecting the Emulsifier-Free Emulsion Polymerization of Vinyl Acetate, 239
Muhler, M. See Huber, F., 1517
Mukesh, D. See Kumar, G. S., 35
Mukhopadhyay, S. Kr.
—; Basu, D.; Banerjee, A. N.; Mitra, B. C.: Study of Fire Retardancy and Thermal Stability of Vinyl Acetate—2-Ethylhexyl Acrylate Copolymer by Blending with Amino Resin in Aqueous Medium, 985
Munari, A. See Righetti, M. C., 1213

Na, T. See Yin, Z., 1299
Nagai, M. See Omi, S., 931
Nagarajan, S.
—; Kumari, S. S. S.; Srinivasan, K. S. V.: Kinetic and Mechanistic Studies on the Block Copolymerization of Methyl Methacrylate Initiated by Ce^{4+}-Poly(ethylene glycol) Redox System, 565
Nagō, S. See Mizutani, Y., 133
Nakagawa, K. See Kita, Y., 363, 1055
Nakajima, Y.
—; Isobe, T.; Senna, M.: Properties of Composite Films Comprising Surface Modified Fine Collagen Particles Dispersed in Polyurethane Matrix, 1693
Nakamae, K. See Miyata, T., 1579
Nakamura, H. See Seno, M., 1361
Nanda, M. See Nayak, P., 671
Natarajan, C. See Joshi, A. H., 737
Nawa, K.
—; Kanata, H.: Analytical Study on the Interface of Polymer Blends from Advanced COPNA-Resin and Nylon 6, 549
Nayak, P.
—; Mishra, D. K.; Parida, D.; Sahoo, K. C.; Nanda, M.; Lenka, S.; Nayak, P. L.: Polymers from Renewable Resources. IX. Interpenetrating Polymer Networks Based on Castor Oil Polyurethane Poly(hydroxyethyl methacrylate): Synthesis, Chemical, Thermal, and Mechanical Properties, 671
Nayak, P. L. See Nayak, P., 671
Nazábal, J. See Bastida, S., 1601
Nechtschein, M. See Pron, A., 971
Nesarikar, A. R.
—; Carr, S. H.; Khait, K.; Mirabella, F. M.: Self-compatibilization of Polymer Blends via Novel Solid-state Shear Extrusion Pulverization, 1179
Nho, Y. C.
—; Jin, J.-H.: Graft Polymerization of Acrylic Acid and Methacrylic Acid onto Radiation-Peroxidized Polyethylene Film in Presence of Metallic Salt and Sulfuric Acid, 1101
Ni, H.
—; Debelak, K.; Hunkeler, D.: Temperature Control of Highly Exothermic Batch Polymerization Reactors, 761
Nicolau, Y. See Pron, A., 971
Ninan, K. N. See Panicker, S. S., 1313
Nisizawa, M.
—; Endo, R.: Radiation-Induced Sol-Gel Transition of Protein: Effects of Radiation and Metal Ions on Conformational Property (note), 273
Nitta, K.-H. See Yamaguchi, M., 467
Noferi, M.
—; Masson, E.; Merlin, A.; Pizzi, A.; Deglise, X.: Antioxidant Characteristics of Hydrolysable and

Polyflavonoid Tannins: An ESR Kinetics Study, 475
Nogueira, P. See Barral, L., 1841
Norris, D. A.
—; Sinko, P. J.: Effect of Size, Surface Charge, and Hydrophobicity on the Translocation of Polystyrene Microspheres Through Gastrointestinal Mucin, 1481
Nowaczyk, J. See Wódzki, R., 355
Núñez, L.
—; Fraga, F.; Fraga, L.; Castro, A.: Kinetic and Thermodynamic Studies of an Epoxy System Diglycidyl Ether of Bisphenol-A/1,2 Diamine Cyclohexane, 635

Ogawa, T.
—; Masuichi, M.: Diffusion of Organic Solvents into Polycarbonate Film, 943
Okada, A. See Usuki, A., 137
Oku, A.
—; Hu, L.-C.; Yamada, E.: Alkali Decomposition of Poly(ethylene terephthalate) with Sodium Hydroxide in Nonaqueous Ethylene Glycol: A Study on Recycling of Terephthalic Acid and Ethylene Glycol, 595
Olivier, P.
—; Ioualalen, K.; Cottu, J. P.: Dynamic Mechanical Spectrometry Analysis of Modifications in the Cure Kinetics of Polyepoxy Composites with Particulate Fillers, 745
Omi, S.
—; Taguchi, T.; Nagai, M.; Ma, G.-H.: Synthesis of 100 μm Uniform Porous Spheres by SPG Emulsification with Subsequent Swelling of the Droplets, 931
Ono, H. See Jyo, A., 1327
Ortego, J. D. See Aminabhavi, T. M., 1223
Ottani, S. See Righetti, M. C., 1213
Ozawa, T. See Tsukuda, R., 1279

Pai, J.-F. See Huang, C.-Y., 115
Pan, Z.-R. See Shan, G.-R., 1535
Pandey, G. C. See Boccara, A. C., 1785
Panicker, S. S.
—; Ninan, K. N.: Effect of Reactivity of Different Types of Hydroxyl Groups of HTPB on Mechanical Properties of the Cured Product, 1313
Papadopoulos, D. S. See Meador, M. A. B., 821
Parida, D. See Nayak, P., 671
Park, C. R. See Park, Y. H., 773
Park, J.-K. See Kim, Y.-M., 289
Park, W. H. See Lee, K. Y., 425
Park, Y. H.
—; Kim, B. I.; Kim, Y. J.: Langmuir-Blodgett Films Containing Carotenoid Dye. II. Structure and Conducting Characteristics of Ethyl β-Apo-8-Carotenoate/Cadmium Stearate LB Films, 619
—; Kim, B. I.; Kim, Y. J.: Langmuir–Blodgett Films Containing Carotenoid Dye. 1. Preparation and Characterization of Ethyl β-Apo-8-Carotenoate/Cadmium Stearate LB Films, 779
—; Lim, J. M.; Park, C. R.: New Modified Poly(ethylene terephthalate) (MPET)-based Adsorbent for Heavy Metal Ions, 773
Paul, A.
—; Thomas, S.: Electrical Properties of Natural-Fiber-Reinforced Low Density Polyethylene Composites: A Comparison with Carbon Black and Glass-Fiber-Filled Low Density Polyethylene Composites, 247
Pawde, S. M. See Joshi, A. H., 737
Pearce, E. M. See Ravey, M., 47
Peinemann, K.-V. See Petersen, J., 1557
Pekcan, Ö.
—; Canpolat, M.: Void Closure by Viscous Flow During Coalescence of Hard Latex Particles, 651
—; Yilmaz, Y.: Modelling of Swelling by Fluorescence Technique in Poly(methyl methacrylate) Gels, 1777
Peppas, N. A. See Sahlin, J. J., 103
Pérez-Luna, V. H.
—; Hooper, K. A.; Kohn, J.; Ratner, B. D.: Surface Characterization of Tyrosine-Derived Polycarbonates, 1467
Petermann, J. See Schueler, R., 1741
Petersen, J.
—; Peinemann, K.-V.: Novel Polyamide Composite Membranes for Gas Separation Prepared by Interfacial Polycondensation, 1557
Pezzin, G. See Righetti, M. C., 1213
Phayde, H. T. S. See Aminabhavi, T. M., 1223
Pins, G. D.
—; Huang, E. K.; Christiansen, D. L.; Silver, F. H.: Effects of Static Axial Strain on the Tensile Properties and Failure Mechanisms of Self-Assembled Collagen Fibers, 1429
Pişkin, E. See Denizli, A., 27
Pizzi, A.
On The Correlation of Some Theoretical and Experimental Parameters in Polycondensation Cross-linked Networks, 603
—; See Noferi, M., 475
Pollicino, A. See Bongiovanni, R., 979
Pong, S.-H. See Chiu, S.-H., 919
Powell, C. See Arriola, D. J., 439
Priola, A. See Bongiovanni, R., 979
Pron, A.
—; Nicolau, Y.; Genoud, F.; Nechtschein, M.: Flexible, Highly Transparent, and Conductive Polyaniline-Cellulose Acetate Composite Films, 971

Qi, K. See Li, T., 1747
Qiu, W.
—; Yang, Y.; Yang, X.; Lu, L.; Wang, X.: Preparation and Characterization of Metal-Containing Bismaleimides from Divalent Metal Salts of *p*-Aminobenzoic Acid, 1827

Raghavan, A. See Dharakumar, M., 1243
Rajatapiti, P.
—; Dimonie, V. L.; El-Aasser,

M. S.; Vratsanos, M. S.: Effects of Compatibilizing Agents in Poly(*n*-butyl acrylate)/Poly(methyl methacrylate) Composite Latexes, 205
Ram, M. K.
—; Gowri, R.; Malhotra, B. D.: Electrical Properties of Metal/Langmuir–Blodgett (Polymeraldine Base) Layer/Metal Devices, 141
Ramachandra, P. See Ramgopal, G., 395
Ramani, R. See Ramgopal, G., 395
Ramanujachary, K. V.
—; Tong, X.; Lu, Y.; Kohn, J.; Greenblatt, M.: Lithium Ionic Conductivity in Poly(ether urethanes) Derived from Poly(ethylene glycol) and Lysine Ethyl Ester, 1449
Ramgopal, G.
—; Ramani, R.; Ramachandra, P.; Ranganathaiah, C.: Structural Modifications in Bivoltine Silk Fiber Under Thermal Treatment, 395
Ramírez, C. See Barral, L., 1841
Rånby, B. See Yang, W. T., 1723
Ranganathaiah, C. See Ramgopal, G., 395
Ratner, B. D. See Pérez-Luna, V. H., 1467
Ravey, M.
—; Pearce, E. M.: Flexible Polyurethane Foam. I. Thermal Decomposition of a Polyether-based, Water-blown Commercial Type of Flexible Polyurethane Foam, 47
Remuñán-López, C. See Calvo, P., 125
Retuert, J. See Yazdani-Pedram, M., 1321
Rhim, J.-W.
—; Yoon, S.-W.; Kim, S.-W.; Lee, K.-H.: Pervaporation Separation and Swelling Measurement of Acetic Acid–Water Mixtures Using Crosslinked PVA Membranes, 521
Rich, D. C.
—; Sichel, E. K.; Cebe, P.: Effect of Cure Conditions on Probimide 32 Polyamide-Imide, 1113
Riffle, J. S. See Facinelli, J. V., 1571
Rigdahl, M.
—; Lason, L.; Hagen, R.; Karlsson, O.; Wesslén, B.: Heterogeneous Latices as Binders in Porous Particle Structures, 661
Righetti, M. C.
—; Munari, A.; Pezzin, G.; Ottani, S.: Viscoelastic Properties of Random Poly(butylene adipate/isophthalate) Copolymers, 1213
Rodriguez, A. See Gonzalez, L., 1353
Roychoudhury, A.
—; De, P. P.: Studies on Chemical Interactions Between Chlorosulphonated Polyethylene and Carboxylated Nitrile Rubber, 1761
Rubiolo, G. H. See Camaño, E., 157
Rummel, S. See Scherzer, T., 1303

Sabadini, E.
—; Assano, E. M.; Atvars, T. D. Z.: Stoichiometry of Poly(ethylene glycol) in Water and Benzene by Excess Volume, 301
Saccubai, S. See Dharakumar, M., 1243; Sumathy, C. T., 1251
Sadaoka, Y. See Matsuguchi, M., 1681
Sahlin, J. J.
—; Peppas, N. A.: Near-field FT IR Imaging: A Technique for Enhancing Spatial Resolution in FT IR Microscopy, 103
Sahoo, K. C. See Nayak, P., 671
Saito, R.
—; Yoshida, S.; Ishizu, K.: Synthesis of Poly(vinyl Alcohol) Core-Polystyrene Shell Type Flower Microgels, 849
Saito, T. See Minagawa, M., 1625
Sakai, Y. See Matsuguchi, M., 1681
Salih, B. See Denizli, A., 27
Saraç, A. S. See Dinçer, B., 1643
Saraf, D. M. See Chakravarthy, S. S. S., 529
Sarwar, M. I. See Ahmad, Z., 1345
Sasaki, T. See Minagawa, M., 1625
Sassi, A. P. See Hooper, H. H., 1369
Satoshi, M. See Jyo, A., 1327
Sato, T. See Seno, M., 1361
Scherzer, T.
—; Beckert, A.; Langguth, H.; Rummel, S.; Mehnert, R.: Electron Beam Curing of Methacrylated Gelatin. I. Dependence of the Degree of Crosslinking on the Irradiation Dose, 1303
Schneggenburger, L. A. See Shi, F. F., 1199
Schueler, R.
—; Petermann, J.; Schulte, K.; Wentzel, H.-P.: Agglomeration and Electrical Percolation Behavior of Carbon Black Dispersed in Epoxy Resin, 1741
Schulte, K. See Schueler, R., 1741
Senna, M. See Nakajima, Y., 1693
Seno, M.
—; Matsumura, N.; Nakamura, H.; Sato, T.: Effect of LiCl04 on the Radical Polymerization of Methyl Methacrylate, 1361
Seppälä, J. V. See Bergström, C. H., 1063, 1071; Hiljanen-Vainio, M., 1335; Hiltunen, K., 1091; Kylmä, J., 1865; Vainio, T., 883
Shan, G.-R.
—; Weng, Z.-X.; Huang, Z.-M.; Pan, Z.-R.: Free Radical Copolymerization and Kinetic Treatment of Styrene with *N*-Phenyl Maleimide, 1535
Shani, A. See Binman, S., 625
Shefer, A. See Tangpasuthadol, V., 1441
Sherriff, N. See Gunatillake, P. A., 1373
Sheu, J.-L. See Chen, S.-I., 903
Sheu, Y. L. See Chen, S.-I., 903
Shi, F. F.
—; Schneggenburger, L. A.; Economy, J.: New Photoimageable Dielectric Insulating Copolyester Thin Films: Synthesis and Characterization, 1199
Shi, Z. See Ma, Z., 1511
Shih, H.-H.
—; Hamed, G. R.: Peel Adhesion and Viscoelasticity of Poly(ethylene-*co*-vinyl acetate)-Based Hot Melt Adhesives. II. The Influence of Wax, 333
—; Hamed, G. R.: Peel Adhesion

and Viscoelasticity of Poly(ethylene-*co*-vinyl acetate)-Based Hot Melt Adhesives. I. The Effect of Tackifier Compatibility, 323
Shiotani, A.
—; Kohda, M.: Preparation of Poly(amide-imide)s Derived from Biphenyltetracarboxylic Dianhydrides, 865
Sichel, E. K. See Rich, D. C., 1113
Siddiq, M.
—; Wu, C.: Laser Light-scattering Study of Polyacrylamides With and Without Hydrolyzation in 0.35*M* KH_2PO_4 Aqueous Solution, 1755
Silver, F. H. See Pins, G. D., 1429
Sinko, P. J. See Norris, D. A., 1481
Smith, J. W. See Meador, M. A. B., 821
Smith, P. B. See Arriola, D. J., 439
Soane, D. S. See Hooper, H. H., 1369
Sokkar, T. Z. N.
—; El Sherif, M.; Bayoumi, O. A.; Fouda, I. M.: Color Prediction of Absorbing–Scattering Fibers Dyed with a Colorant Mixture, 1165
Song, L. See Zhang, M. Q., 589
Spitz, R. See McKenna, T. F., 315
Springer, J. See Huber, F., 1517
Srinivasan, K. S. V. See Nagarajan, S., 565
Stahl, W. M. See Aminabhavi, T. M., 1223
Storey, R. F. See Loveday, D., 497, 507
Stragliati, B. See Leblanc, J. L., 959
Suárez, N.
—; Laredo, E.; Bello, A.; Kohn, J.: Molecular Relaxation Mechanisms of Tyrosine-Derived Polycarbonates by Thermally Stimulated Depolarization Currents, 1457
Suh, K.-D. See Kim, J.-W., 1589
Sumathy, C. T.
—; Dharakumar, M.; Devi, M. S.; Saccubai, S.: Modification of Cement Mortars by Polymer Latex, 1251
Sumimoto, S. See Tsukuda, R., 1279
Sung, C. S. P. See Yu, J.-W., 1769
Swellam, M.
—; Yi, S.; Ahmad, M. F.; Huber, L. M.: Mechanical Properties of Cellular Materials. I. Linear Analysis of Hexagonal Honeycombs, 383

Taguchi, T. See Omi, S., 931
Tangpasuthadol, V.
—; Shefer, A.; Yu, C.; Zhou, J.; Kohn, J.: Thermal Properties and Enthalpy Relaxation of Tyrosine-Derived Polyarylates, 1441
Tefera, N.
—; Weickert, G.; Westerterp, K. R.: Modeling of Free Radical Polymerization Up to High Conversion: I. A Method for the Selection of Models by Simultaneous Parameter Estimation, 1649
—; Weickert, G.; Westerterp, K. R.: Modeling of Free Radical Polymerization Up to High Conversion: II. Development of a Mathematical Model, 1667
Thames, S. F.
—; Gupta, S.: Synthesis and Characterization of Pendent Hydroxy Fluoroesters of Secondary High Molecular Weight Guayule Rubber, 1077
Thomas, S. See Paul, A., 247
Thomas, T. T. See Uhrich, K. E., 1401
Tong, X. See Ramanujachary, K. V., 1449
Tremblay, D. A. See Kang, C.-K., 163
Tria, A. J., Jr. See Dunn, M. G., 1423
Tripathy, D. K. See Bandyopadhyay, S., 1833; Kundu, P. P., 187
Tsai, S.-W.
—; Hee, S. S. Q.: Permeation of Xylene Isomers Through Nitrile Gloves, 1713
Tsuji, H.
—; Ikada, Y.: Blends of Crystalline and Amorphous Poly(lactide). III. Hydrolysis of Solution-Cast Blend Films, 855
Tsukuda, R.
—; Sumimoto, S.; Ozawa, T.: Thermal Conductivity and Heat Capacity of ABS Resin Composites, 1279
Tunca, Ü.
—; Koc, S.: Synthesis of Aromatic Poly(ether ketone)s Containing C36 Aliphatic Unsaturated Groups in the Main Chain, 1275

Uhrich, K. E.
—; Thomas, T. T.; Laurencin, C. T.; Langer, R.: *In Vitro* Degradation Characteristics of Poly(anhydride–imides) Containing Trimellitylimidoglycine, 1401
Umeda, K. See Matsuguchi, M., 1681
Usuki, A.
—; Kato, M.; Okada, A.; Kurauchi, T.: Synthesis of Polypropylene–Clay Hybrid, 137

Väänänen, L. J. See Bergström, C. H., 1071
Vaccaro, E.
—; Dibenedetto, A. T.; Huang, S. J.: Yield Strength of Low-Density Polyethylene–Polypropylene Blends, 275
Vainio, T.
—; Hu, G.-H.; Lambla, M.; Seppälä, J.: Functionalization of Polypropylene with Oxazoline and Reactive Blending of PP with PBT in a Corotating Twin-Screw Extruder, 883
Vergnes, B. See De Loor, A., 1385
Vila-Jato, J. L. See Calvo, P., 125
Visser, S. A.
Effect of Filler Type on the Response of Polysiloxane Elastomers to Cyclic Stress at Elevated Temperatures, 1805
Voigt, D. See Mierau, U., 283
Vratsanos, M. S. See Rajatapiti, P., 205

Wakida, T. See Chen, J.-R., 1733
Wang, C.
—; Huang, Y.; Cong, G.; Lin, G.; Zhao, S.: Single-Ion Conducting Polymeric Electrolytes Based on

Sulfonated Poly(phenylene oxide), 559
Wang, S.
—; Huang, Y.; Cong, G.: Study on Nitrile-Butadiene Rubber-Poly(propylene carbonate) Elastomer as Coupling Agent of Poly(vinyl chloride)/Poly(propylene carbonate) Blends. I. Effect on Mechanical Properties of Blends, 1107
Wang, X. See Qiu, W., 1827
Wang, Z.
—; Chen, T.; Xu, J.: Novel Polyaryletherketones Containing Various Pendant Groups. I. Synthesis and Characterization, 1127
Watanabe, T. See Minagawa, M., 1625
Wei, K.-H.
—; Ho, J.-C.: A Study on Blends of Liquid Crystalline Copolyesters with Polycarbonate. III. Mechanical Properties of Compatibilized Blends, 1527
Weickert, G. See Tefera, N., 1649, 1667
Weng, Z.-X. See Shan, G.-R., 1535
Wentzel, H.-P. See Schueler, R., 1741
Wesslén, B. See Karlsson, O., 1543; Rigdahl, M., 661
Westerterp, K. R. See Tefera, N., 1649, 1667
White, R. L. See Lin, R., 1287
Widmaier, J.-M.
—; Drillieres, S.: Relationships between Polymerization Activating Systems and Viscoelastic Properties of the Subsequent Polyurethane/Poly (Tert-Butyl Acrylate) Interpenetrating Polymer Networks, 951
Wilkes, G. L. See Loveday, D., 497, 507
Wódzki, R.
—; Nowaczyk, J.: Membrane Transport of Organics. I. Sorption and Permeation of Carboxylic Acids in Perfluorosulfonic and Perfluorocarboxylic Polymer Membranes, 355
Wu, B.-S. See Chern, Y.-T., 693
Wu, C. See Siddiq, M., 1755
Wu, H.-D.
—; Ma, C.-C. M.; Lin, J.-M.: Processability and Properties of Phenoxy Resin Toughened Phenolic Resin Composites, 911
Wu, H.-S.
—; Jone, H.-C.; Hwang, J. W.: Reaction of Polyacrylic Acid and Metal Oxides: Infrared Spectroscopic Kinetic Study and Solvent Effect, 89
Wu, J. See Yin, W., 13

Xiao, S.
—; Moresoli, C.; Bovenkamp, J.; De Kee, D.: Sorption and Permeation of Organic Environmental Contaminants through PVC Geomembranes, 1189
Xiao, Y. See Du, S., 1259
Xie, R.
—; Yang, B.; Jiang, B.; Zhang, Q.; Xu, Y.: Rheological Studies on the Phase Dissolution in a Block Copolymer, 1155
Xu, J. See Li, Y., 1, 1821; Mai, K., 1001; Wang, Z., 1127
Xu, Y. See Xie, R., 1155

Yamada, E. See Oku, A., 595
Yamaguchi, M.
—; Nitta, K.-H.; Miyata, H.; Masuda, T.: Rheological Properties for Binary Blends of i-PP and Ethylene-1-hexene Copolymer, 467
Yang, B. See Xie, R., 1155
Yang, J. See Du, F., 643
Yang, L. See Gao, J., 1137
Yang, M.-H. See Liaw, D.-J., 369
Yang, W.-C. O. See Liaw, D.-J., 369
Yang, W. T.
—; Rånby, B.: Bulk Surface Photografting Process and Its Application. III. Photolamination of Polymer Filmsm, 1723
Yang, X. See Qiu, W., 1827
Yang, Y. See Qiu, W., 1827
Yazdani-Pedram, M.
—; Retuert, J.: Homogeneous Grafting Reaction of Vinyl Pyrrolidone onto Chitosan, 1321
Ye, W. See Du, F., 643
Yeom, C. K.
—; Lee, K.-H.: A Study on Desorption Resistance in Pervaporation of Single Component Through Dense Membranes, 221
Yi, S. See Swellam, M., 383
Yilmaz, Y. See Pekcan, Ö., 1777
Yin, J. See Yin, Z., 1299, 1565, 1857
Yin, W.
—; Li, J.; Gu, T.; Wu, J.: Design and Synthesis of Conducting Secondary Crosslinked Interpenetrating Polymer Network, 13
Yin, Z.
—; Zhang, X.; Zhang, Y.; Yin, J.: Morphological, Thermal, and Mechanical Properties of Polypropylene/Polycarbonate Blend, 1857
—; Zhang, Y.; Zhang, X.; Na, T.; Yin, J.: Preparation and Characterization of Ethylene–Propylene Copolymer Grafted with Acrylamido Tertiary Butyl Sulfonic Acid, 1299
—; Zhang, Y.; Zhang, X.; Yin, J.: Isothermal Crystallization of PP-*g*-GMA Copolymer, 1565
Yiu, H.-C. See Chiu, S.-H., 919
Yoon, S.-W. See Rhim, J.-W., 521
Yoshida, S. See Saito, R., 849
Yoshii, F. See Minagawa, M., 1625
Yu, C. See Tangpasuthadol, V., 1441
Yu, J. See Hooper, H. H., 1369
Yu, J.-W.
—; Sung, C. S. P.: Interphase Cure Characterization in Epoxy Composites by Fluorescence Technique, 1769
Yu, Z. See Chang, G.-W., 483
Yukioka, S. See Doi, T., 925

Zawadsky, J. P. See Dunn, M. G., 1423
Zeng, H. See Mai, K., 1001
Zeng, H. M. See Zhang, M. Q., 589
Zhang, J. See Gan, Z., 1793
Zhang, L. See Haimovich, B., 1393
Zhang, M. Q.
—; Song, L.; Zeng, H. M.;

Friedrich, K.; Karger-Kocsis, J.: Frictional Surface Temperature Determination of High-Temperature-Resistant Semicrystalline Polymers by Using Their Double Melting Features, 589
Zhang, Q. See Xie, R., 1155
Zhang, X.
—; Hu, Z.; Li, Y.: The Phase Transition and Shear Modulus of Ionic *N*-Isopropylacrylamide Gels in Concentrated Salt Solutions, 1851
—; See Yin, Z., 1299, 1565, 1857
Zhang, Y. See Yin, Z., 1299, 1565, 1857
Zhao, M. See Gao, J., 1137
Zhao, S. See Wang, C., 559
Zhao, W. See Ma, Z., 1511
Zhou, J. See Tangpasuthadol, V., 1441
Zhuang, Y.
—; Zhu, Z.; Chen, L.: Investigation of Gelation Behavior of Polyvinyl Alcohol–Glutaraldehyde System, 267
Zhu, Z. See Zhuang, Y., 267
Zugenmaier, P. See Amash, A., 1143

Journal of Applied Polymer Science

Subject Index to Volume 63

Absorbing–scattering fibers, 1165
ABS–glass-beads composites, 1279
Acetic acid–water mixtures, 521
Acid salts, 1101
Acrylamide, 761, 1643
Acrylated bisphenol A, 979
Adhesive joints, 835
Adhesives, 307, 323, 333, 683
Adsorbents, 773
Advanced COPNA-resin, 549
Agglomeration, 1741
Air separation, 693
Alginate, 425
Aliphatic esters, 1223
Alkali decomposition of PET, 595
Alkali-metal salts, 559
Alkyds, 35
Alkylating agents, 1009
Alternating copolymer, 925
m-aminobenzoic acid, 865
p-aminobenzoic acid, 865
Ammonium salts of sulfaminic acids, 581
Analytical characterization, 1303
Anionic aqueous-based PU, 1609
Annealing, 589
Anterior cruciate ligament, 1423
Antioxidants, 475
Antisticking effect, 1625
Aqueous polyelectrolytes, 175
Aromatic poly(ether ketone), 1275
Aromatic polyetherimides, 1
Aromatic polyimides, 369
Attenuated total reflectance (ATR) Fourier transform infrared (FTIR) technique, 799
Avrami analysis, 1747
Aziridinyl latent curing agent, 1609

Batch polymerization, 761
Bimodal, 411
Binary blends, 1265
Binary particulate composites, 1029, 1041
Binders, 661
Biocompatibiilty, 1493
Biodegradable, 643, 1401
Biodegradation, 453
Biomaterial, 1423, 1441, 1457
Biomaterials, 1467, 1499
Biopolymer, 1441
3-3′-4-4′-biphenyltetracarboxylic dianhydride, 865
5-3′-4′-biphenyltetracarboxylic dianhydride, 865
Bismaleimides, 1827
Bisphenol-S, 1137
Bivoltine silk fibers, 395
Blend, 985
Blends, 187, 275, 307, 573, 855, 911, 925, 991, 1001, 1015, 1107, 1179, 1243, 1265, 1335, 1385, 1527, 1857
Block copolymerization, 565
Block copolymers, 1155
Block polypeptides, 453
Blown films, 289
Bone implants, 75
Bulk ring-opening copolymerization, 643

C36 aliphatic unsaturated group, 1275
Cable insolution, 581
Capillary flow, 187
Carbon black, 1741
Carbon dioxide, 459
Carbon fiber, 1785
Carbon-black-loaded LDPE composites, 247
Carbonization, 1785
Carboxylated nitrile rubber, 1761, 1833
Carboxylic acid, 355
Carboxylic exchange membranes, 9
Carotenoid dye, 779
Catalytic cracking, 1287
Cation exchange, 1327
Cavitation, 703, 715
Ce (IV), 1643
Cellophane films, 737
Cellular polymers, 383
Cellulose acetate, 433
Cement mortars, 1251
Cerium carboxylate, 811
Char yield, 985
Chemical modification, 453
Chemical recycling of PET, 595
Chitin, 725
Chitosan, 1321, 1393
Chlorosulphonated polyethylene, 1761
Chromium, 725
Clays, 137
^{13}C-NMR, 439
Collagen fiber, 1493
Collagen fibers, 1423, 1429
Collagen particles, 1693
Color prediction, 1165
Colorant mixture, 1165
Compatibilization, 275, 883, 1857
Compatibilizing agents, 205
Composite, 745, 1423
Composite films, 1693
Composite latexes, 205
Composite membrane, 693
Composites, 115, 247, 1029, 1041, 1143, 1259, 1279, 1345, 1769
Computer vision, 1413
Conductive films, 821
Conductive polymers, 1741
Conductivity, 559
Congo Red–derivatized microspheres, 27
Contact angle, 1467
Continuous direct esterification, 163
Conversion, 787
Copolyamides, 573
Copolyesters, 1213, 1865
Copolyimides, 1821
Copolymerization, 1535
Co-precipitation blending, 991
Core–shell composite particles, 1589
Core–shell morphology, 1589
Coupling agent, 1107
Coupling agents, 1259, 1353
Cracking, 1287
Critical mean stress, 715
Critical volume strain, 715
Crosslinker, 439
Crosslinker reactivity, 439
Crosslinking, 13, 75, 147, 521, 903, 1353, 1385, 1493
Cross-over modulus, 111

Crystallinity, 1793
α-crystallites, 411
Crystallization, 1747, 1857
Crystallization kinetics, 1793
Cure characterization, 1769
Cure kinetics, 745
Curing, 635, 683, 895, 1113
Cyclic stress, 1805

Decomposition, 47
Degradable polymers, 1499
Degradation, 1601
Degrees of freedom, 603
Dense membranes, 221
Desorption resistance, 221
Diamines, 1009
Dielectric relaxations, 1457
Dielectrical constant (ϵ'), 343
Differential scanning calorimetry (DSC), 349, 395, 411, 1143, 1265, 1441
Diffusants, 1237
Dihalides, 1009
Dose dependence of the crosslinking behavior, 1303
Drug release, 425
Dye, 725
Dyeability, 133
Dynamic creep, 1805
Dynamic elongational flow, 187
Dynamic mechanical spectrometry, 745
Dynamic mechanical thermal analysis (DMTA), 1265, 1345
Dynamic mechanical thermoanalysis (DMTA), 1143
Dynamic viscoelastic property, 467

Elastomers, 1353, 1373
Electrical conductivity, 619
Electrical conductivity (σ), 343
Electron beam curing, 1303
Electron beam irradiation, 147
Electron-induced side reactions, 1303
EMI shielding, 115
Emulsifier-free emulsion polymerization, 239
Emulsion copolymerization, 799
Emulsion polymerization, 239
Enthalpy relaxation, 17, 1441
Enzyme immobilization, 1579
Epichlorohydrin, 1137
Epoxy composites, 1769
Epoxy resin, 1741, 1841
Epoxy resins, 635, 895, 1137
Epoxy-anhydride system, 17
Epoxy-terminated polymer (ETP), 683

ESCA, 1467
ESR, 475
Esterification, 163
Ethyl benzene, 1713
Ethylene glycol, 595
Ethylene oxide, 1499
Ethylene-propylene and chloroprene rubbers, 1625
Ethylene–propylene copolymer, 581
Ethylene-1-hexene copolymer, 467
Excess volume, 301
Extraction kinetics, 959
Extraction profile, 843
Extrusion, 919

Failure, 703
Failure mechanism, 1429
Fiber-reinforced composites, 1143
Fibers, 133, 395, 1143, 1165
Fibril structure, 1429
Fibroblast, 1493
Fick's equation, 1223
Films, 971, 1047, 1693
Fire retardancy, 985
Fire retardant, 581
Flame retardant, 875, 895
Flame retardants, 1511
Flexible polyurethane foam, 47
Fluorochemicals, 903
Fluoro-component, 903
α-form crystallites, 411
Fourier transform infrared (FTIR) microscopy, 103
Fourier transform infrared (FTIR) spectroscopy, 233, 991
Fractography, 1841
Fracture toughness, 835
Free radical copolymerization, 1535
Free radical polymerization, 1649, 1667
Free radical polymerizations, 529
Friction, 589
Fuzzy hybrid, 761

Gamma radiation, 377
Gas separation, 1557
Gas separation membranes, 1127
Gas transport, 1, 1821
Gel point, 603
Gel theories, 603
Gels, 267, 439, 1173, 1777, 1851
Genetic algorithms, 529
Geomembranes, 1189
Glass transition, 401, 1457
Glass transition range, 157
Glass transition temperature, 603, 1441
Glass transition temperatures, 1063, 1077
Glass-fiber-filled LDPE composites, 247
Glove, 1713
Glycolide, 643
Graft copolymerization, 377
Graft polymerization, 1101
Graft reaction, 549
Grafting, 883, 1299, 1321
Growth cone, 1413

Hard latex particles, 651
Heat capacity, 1279
Heat resistance, 363
Heat-resistant resin, 1055
Heavy metal ions, 773
Hexafluoroethane-hydrogen mixture, 1517
Hexagonal honeycombs, 383
High conversion, 1649, 1667
High-density polyethylenes (HDPE), 289
High-quality, 1055
^{1}H-NMR spectra of HTPB, 1313
Hollow cylindrical membrane, 417
Hot melt adhesives (HMAs), 323, 333
HPLC, 1643
Hydrocarbon-component, 903
Hydrogel microspheres, 1369
Hydrogels, 1369
Hydrogen bond, 911
Hydrolysis, 855
Hydrolyzation, 1755
Hydrophilic nanoparticulate carriers, 125
Hydrophobicity, 1481
Hydroxyfluoroesters, 1077
Hydroxyl groups, 1313
Hydroxyl terminated polybutadiene (HTPB), 1313
Hydroxyl terminated prepolymers, 1091

Image analysis, 1413
Impact modification, 703
Impact strength, 1589
Impact-resistant polypropylene (I-PP), 283
In vitro degradation, 643, 1401
Infrared (IR) spectroscopy, 89
Infrared spectroscopy, 787
Injection moldings, 1015
In-line, 919
In-line viscometer, 919
Inorganic filler, 1805
Interfacial condensation, 693

Interfacial polycondensation, 1557
Interpenetrating polymer network (IPN), 951
Interpenetrating polymer networks (IPNs), 13, 671
Intestinal transport, 1481
Intraparticle mass transfer resistance, 315
Inverse-emulsion polymerization, 761
Inverted, 1589
Ionic conductivity, 1449
γ-irradiation, 1499
ISAF carbon black, 1833
Isobutene, 925
Isothermal crystallization, 1565
Isothermal time–conversion, 1649

Kinetics, 89, 475

Lactic acid, 1865
Lactic acid polymerization, 1091
Lactic acids, 1335
Langmuir-Blodgett film, 619
Langmuir–Blodgett films, 779
Langmuir–Blodgett (LB) films, 141
Laser light scattering (LLS), 1755
Latex, 661
Latexes, 205, 1251, 1543
Limiting oxygen index, 875, 985
Liquid crystalline polyester, 1527
Liquid phase polymerizations, 315
Lithium triflate, 1449
Low-density polyethylene, 811, 1635

Magnetron enhanced air plasma, 737
Maleated polyolefins, 275
Mathematical modeling, 1237
MBS, 703, 715
Mechanical properties, 1107, 1313, 1385, 1429, 1601
Melt-blending, 991
Melting, 411
Melting behavior, 1001
Membrane coat, 1393
Membrane-based gas separation, 1517
Membranes, 355, 1557, 1579
Mercury ions, 625
Metal chelate affinity chromatography, 27
Metal ion transport, 9
Metal ions, 1327
Metal oxides, 89
Metal sorption, 625
Metal-containing bismaleimides, 1827
Metal-containing polymers, 1827
Metal-insulator–metal structures, 141
Metallic salts, 1101
Metallocene catalysts, 1071
Methacrylated gelatin, 1303
Methacrylic acid, 1635
Microcapsule, 425
Microelectronics, 1199
Microgels, 849
Microspheres, 27
Microstructural changes, 1785
Microwave, 787
Mid-range IR optical fibers, 799
Minerals, 661
Mirage–FTIR, 1785
Miscibility, 467, 925
Miscible blend systems, 991
Modulation technology, 1173
Moisture absorption, 401
Molecular mechanics, 603
Molecular weight, 1601
Molecular weight distribution, 1643
Molecular weight distribution (MWD), 497, 507, 1667
Monomer impregnation, 1243
Morphological analysis, 549
Morphology, 985
Mucin, 1481
Multichip module, 1199
Multiple melting behavior, 589

N-acyl chitosan, 425
Natural fibers, 1703
Natural rubber compounds, 233
Nerve growth dynamics, 1413
Nerve regeneration, 1413
Networking, 603
N-isopropyl maleimide, 1055
N-isopropylacrylamide (NIPA) hydrogels, 1851
Nitrile, 1713
N-methylmaleimide, 925
Nonisothermal crystallization, 1793
Norbornene-ethylene copolymers, 1063, 1071
Novel polyaryletherketones, 1127
Nuclear magnetic resonance, 1179
Nucleating activity, 349
Nylon 6, 549

Open cell foams, 383
Optical properties, 979
Organic environmental contaminants, 1189
Organic solvents, 943
Oxazoline, 883
Oxygen index, 581

Paper coating, 661
Particle, 1571
Particle size, 1589
Particulate fillers, 745
PCL/PEO diblock copolymer, 1793
PEEK, 589, 1571
Peel adhesion, 333
Pendant groups, 1127
Penetrant diffusion, 1189
Percolation, 1741
Perfluoroelastomers, 147
Permeability, 433
Permeation, 1713
Pervaporation, 221, 433
Pervaporation separation, 521
Phase continuity, 275
Phase dissolution, 1155
Phase transition, 1851
Phenolic, 911
Phenoxy, 911
Phosphoric acid resins, 1327
Phosphorus, 875
Photodegradable LDPE, 811
Photografting, 1635
Photografting polymerization, 1723
Photoimageable dielectric, 1199
Photolamination, 1723
Photooxidative degradation, 811
Photoresist, 1199
Photosensitizer, 811
pH-responsive release, 453
Physical aging, 483, 1441
Plasma polymer membranes, 1517
Plasma polymerization, 737
Plaster of paris, 1243
Plaster of paris-epoxy resins, 1243
Plasticizers, 971, 1047
Platelet, 1393
Poly (ester-urethane), 1865
Poly (ether imide), 1601
Polyacrylamides, 1755
Polyacrylic acid, 89, 439
Poly(acrylonitrile-*co*-styrene), 925
Polyalkylene–polyamines, 1009
Polyamide, 1557
Poly(amide-imide), 693
Poly(amide-imide)s, 865
Polyamides, 573
Polyanhydrides, 1401
Poly(anhydride–imides), 1401
Polyaniline-cellulose acetate composite films, 971
Poly(arylene ether ketone, 1571
Poly(butylene adipate), 1213
Poly(butylene isophthalate), 1213

Poly(butylene terephthalate), 883
Polycarbonate, 1499
Polycarbonate film, 943
Polycarbonates, 195, 1457, 1467
Polycondensation, 603, 865, 1865
Poly(dimethylsiloxane), 1805
Polyelectrolyte complex (PEC), 425
Polyelectrolytes, 175
Polyester, 1199, 1511
Polyether ether ketone, 1001
Poly(ether ether ketone), 1571
Polyetherimides, 1
Poly(ethylene glycol), 1449
Poly(ethylene glycol)–lysine ethyl ester copolymers, 1449
Poly(ethylene oxide), 1793
Poly(ethylene terephthalate), 349
Poly(ethylene terephthalate) (PET), 595
Polyfunctional monomers, 1635
Polyimide, 693, 875
Polyimide films, 821
Polyimides, 369, 1821
Poly(lactic acid), 1423
Poly(lactide), 855
Poly(see under L-lactic acid), 1499
Polymer, 787
Polymer blend, 467, 549
Polymer electrolyte, 1449
Polymer networks, 603
Polymer reaction engineering, 761
Polymeric cylinders, 1237
Polymeric liquid, 459
Polymeric polydispersity, 111
Polymeric solid electrolytes, 559
Polymerization activating systems, 951
Polymer–clay hybrids, 137
Polymethylacrylate, 787
Polypeptide microcapsules, 453
Polyphenylene sulfide, 1001
Polypropylene, 467, 883, 1385
Poly(propylene carbonate), 1107
Polypropylene spherulites, 1565
Polypropylene–clay hybrid, 137
Polystyrene beads, 625
Polystyrene microspheres, 1481
Polytetrafluoroethylene (ePTFE) vascular graft, 1393
Poly(tetrafluoroethylene) (PTFE) film, 1733
Polyurethane foam, 47
Polyurethane matrix, 1693
Poly(vinyl alcohol), 849
Poly-(vinyl alcohol), 1393
Polyvinyl alcohol–glutaraldehyde gel system, 267
Poly(vinyl chloride), 1107
Poly(vinylchloride), 703, 715
Poly(ε-caprolactone), 1793
Porosity, 661
Positron annihilation, 483
Positron annihilation lifetime spectroscopy (PALS), 395
Powder, 1571
Pressure-sensitive adhesive (PSA), 307
Probimide 32, 1113
Processing parameters, 115
Protein carriers, 125
Proteins, 273
P(styrene-*co*-divinylbenzene), 931
Pyroelectric coefficient (*P*), 343
Pyrolysis, 47

Radial transport, 417
Radiation-induced graft copolymerization, 1101
Radical polymerization, 1361
Radical reactions, 475
Random copolymers, 1213
Reactive blend, 1385
Reactive diluent, 17
Reactive extrusion, 573
Reactive processing, 1299
Reactivity of OH groups, 1313
Reactivity ratio, 439
Recycling, 1287
Recycling of terephthalic acid, 595
Redox initiation, 565
Relative humidity, 401
Renewable resources, 671
Reprocessing, 1601
Resins, 363, 1137, 1327
Rheology, 1179
Rheometric mechanical spectrometry, 1265
Rheometric mechanical spectroscopy, 1155
Rigid conducting polymer, 13
6 (*R,S*)-methylmorpholine-2,5-dione, 643
Rubber compounds, 157, 959

Scaffolds, 1423
Scanning electron microscopy (SEM), 1265
Schottky behavior, 141
Self-compatibilization, 1179
Self-curing, 1609
Semi-crystalline thermoplastics, 589
Separation, 355
Shape memory gels, 1173
Shear strength, 835
Shear stress sensor, 919
Silk fibers, 395
Silk fibroin, 401
SIMS, 1467
Simultaneous parameter estimation, 1649
Sisal–LDPE composites, 247
Sliding, 589
Small angle X-ray scattering (SAXS), 497
Smoke release, 581
Sol-gel transition, 273
Solid-state shear extrusion pulverization, 1179
Solute/polymer interaction, 843
Solution blending, 991
Solution polymerization, 761
Solvatochromism, 1681
Solvent removal, 1113
Solvents, 377
Sol–gel process, 1345
Sorbent, 725
Sorption, 355, 725
Spectroscopic measurements, 619
SPG (Shirasu porous glass) membrane, 931
Sputter ion etching, 1625
Stabilization, 1785
Starch–glycerol films, 1047
Steady state fluorescence (SSF) technique, 651
Steady-state fluorescence (SSF), 1777
Sterilization, 1499
Strain rates, 1041
Stress optical coefficient, 925
Stress relaxation, 483
Stress whitening, 703
Structure–property correlation, 1441
Sulfur-chlorinated jojoba wax, 625
Superabsorbent, 439
Superabsorbent gels, 439
Supermolecular architecture, 1723
Surface analysis, 1467
Surface free energy, 1733
Surface modification, 1481, 1625
Surface properties, 979
Surface structure, 1733
Surface temperature, 589
Suspension polymerization, 931
Swelling, 521, 1777

Tackifier, 323
Tannins, 475
Telechelic ionomers, 497, 507
Temperature rising elution fractionation (TREF), 283
Tendon/ligament replacement, 1429

Tensile and Izod impact tests, 1841
Tensile modulus, 1527
Tensile strength, 1703
Ternary particulate composites, 1029, 1041
Tertiary oil recovery, 267
Tetrabromobisphenol-A, 1137
Thermal analysis, 581
Thermal conductivity, 1279
Thermal degradation, 1841
Thermal diffusivity, 157
Thermal properties, 401, 1601
Thermal stability, 115
Thermally stimulated depolarization current (TSDC), 343
Thermomechanical analysis, 603
Thermoplastics, 195
Tissue engineering, 1423, 1493
Toughness, 911
Transamidation, 573
Transesterification, 35
Transport, 355
Trommsdorff effect, 529
TSDC, 1457
TTT diagrams, 745
Two-stage seeded emulsion polymerization, 1543
Tyrosine, 1441, 1457, 1467, 1499
Tyrosine-derived polycarbonates, 1499

Uniform microspheres, 931
Urease, 1579
Urethane acrylate, 1703
Urethane synthesis, 1091
UV irradiation, 1625
UV radiation, 1703
UV-curing, 979

Valence bond adhesion and photocuring, 1723
Vapor permeation, 433
Vinyl pyrrolidone, 1321
Viscoelasticity, 333, 1029, 1213
Viscosity, 459, 919
Viscosity transitions, 1369
VITON fluoroelastomers, 1223
Void closure process, 651
Vulcanization, 233

Wastewater, 773
Water solutions, 301
Water sorption, 1681
Water-based coating, 985
Water-repellent terpolymers, 903
Wax, 333
Wool keratin, 411

Xylene, 1713

Yield strength, 275

Ziegler-type catalysts, 315